SAMSUNG

Samsung SM-A135F/DS 16.8 cm (6.6") Dual SIM Android 12 4G USB Type-C 4 GB 64 GB 5000 mAh Blue

Brand : Samsung **Product code:** SM-A135FLBVEUB

Product name: SM-A135F/DS

6.6", 2408 x 1080, Exynos850, 4GB RAM, 64GB ROM, 50MP+5MP+2MP+2MP/8MP, 802.11 a/b/g/n/ac, Bluetooth 5.0, NFC, 5000 mAh, Android 12.0 - One UI 4.1, Light Blue Samsung SM-A135F/DS. Display diagonal: 16.8 cm (6.6"), Display resolution: 2408 x 1080 pixels, Display type: TFT. Processor frequency: 2 GHz, Processor family: Samsung Exynos, Processor: 850. RAM capacity: 4 GB, Internal storage capacity: 64 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Quad camera. SIM card capability: Dual SIM. Operating system installed: Android 12. Battery performance: 5000 mAh. Product colour: Blue. Weight: 195 g





Display		Network	
Display diagonal *	16.8 cm (6.6") TFT Gorilla Glass Gorilla Glass 5 2408 x 1080 pixels	Tethering (modem-mode)	√
Display type		Near Field Communication (NFC)	✓
Display glass type		Ports & interfaces	
Gorilla Glass version Display resolution *		USB port *	✓
Display number of colors	16 million colours	USB connector type	USB Type-C
Touch screen *	J Tillion Colours	USB version	2.0
Contrast ratio (typical)	1200:1	ANT+ enabled	×
Native aspect ratio	20:9	Design	
Display brightness	480 cd/m ²	Form factor *	Bar
Maximum refresh rate	60 Hz	Product colour *	Blue
Pixel density	401 ppi	Housing material	Polycarbonate (PC)
Processor		Performance	
Processor frequency *	2 GHz	Graphics card	Mali-G52
Processor family *	Samsung Exynos	Fingerprint reader	✓
Processor *	850	Face recognition	✓
Processor number of cores	8	Country of origin	Vietnam
Storage		Navigation	
User memory	48.1 GB	GPS	✓
RAM capacity *	4 GB	Position location *	✓
Internal storage capacity *	64 GB	Multimedia	
Compatible memory cards *	MicroSD (TransFlash)	Audio system	Dolby Atmos
Maximum memory card size	1000 GB	Software	
Camera		Platform *	Android
Rear camera resolution (numeric) *	50 MP	Operating system installed *	Android 12
Second rear camera resolution (numeric)	5 MP	Firmware version	One UI 4.1
Third rear camera resolution (numeric)	2 MP	Battery	
Fourth rear camera resolution	2 MD	Battery technology	Lithium-lon (Li-lon)
(numeric)	2 MP	Battery voltage	3.85 V
Rear camera aperture number	1.8	Battery recharge time Battery weight	2.33 h 69 g
Second rear camera aperture number	2.2	Removable battery	×
Third rear camera aperture number	2.4	Battery performance *	5000 mAh
Fourth rear camera aperture number	2.4	Sensors	
Digital zoom	10x	Proximity sensor	×
Front camera type *	Single camera	Accelerometer	√
		Ambient light sensor	×

Camera		Sensors	
Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type	2.2 ✓ LED 1020 v 1000 pivola	Gyroscope Geomagnetic sensor Heart rate sensor Hall sensor	× ✓ ×
Video capture resolution (max)		Weight & Dimensions	
Maximum frame rate Resolution at capture speed Rear camera type * Auto focus Panorama		Width Depth Height Weight *	76.4 mm 8.8 mm 165.1 mm 195 g
Network		Package width	80.8 mm 30 mm
SIM card capability * Dual SIM Mobile network generation * 4G SIM card type * NanoSIM 3G standards * HSPA+,HSUPA 4G standard * LTE-TDD & LTE-FDD Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards 802.11a,802.11b,802.11g,Wi-Fi 4 (802.11n),Wi-Fi 5 (802.11ac)	Package depth Package height Package weight	168.5 mm 261.65 g	
		Packaging Content	
	LTE-FDD & LTE-FDD 802.11a,802.11b,802.11g,Wi-Fi 4 (802.11n),Wi-Fi 5 (802.11ac)	AC adapter bundled Quick start guide Warranty card Cables included SIM card ejector pin	✓ ✓ USB Type-C
Bluetooth *	V	Logistics data	
Bluetooth version Bluetooth profiles 3G bands supported 4G bands supported 4G bands supported 5.0 850,900,2100 MHz 700,800,850,900,1800,2100,2500 MHz	A2DP 850,900,2100 MHz 700,800,850,900,1800,2100,2500,2600	Master (outer) case weight Master (outer) case length Master (outer) case width Master (outer) case height Quantity per pallet Quantity per master (outer) case	5.6 kg 335 mm 159 mm 184 mm 1400 pc(s) 20 pc(s)
		Technical Details	
		Pallet gross weight Commodity Classification Automated Tracking System (CCATS)	403 kg 8517120000



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.