Hisense

Hisense AE7230F 165.1 cm (65") 4K Ultra HD Smart TV Wi-Fi Black

Brand : Hisense

Product name : AE7230F

Product code: 65AE7230F

Hisense AE7230F. Display diagonal: 165.1 cm (65"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Screen shape: Flat, LED backlighting type: Direct-LED. Smart TV. Motion interpolation technology: PCI (Picture Criteria Index) 1600, Native aspect ratio: 16:9. Digital signal format system: DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2. Wi-Fi, Ethernet LAN. Product colour: Black

Display	
Display diagonal *	165.1 cm (65")
HD type *	4K Ultra HD
LED backlighting type	Direct-LED
Screen shape *	Flat
Native aspect ratio *	16:9
Screen format adjustments	4:3, 16:9
Supported video modes	1080p, 1440p, 2160p
Supported graphics resolutions	1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160
Motion interpolation technology *	PCI (Picture Criteria Index) 1600
Display resolution *	3840 x 2160 pixels

TV tuner	
Tuner type *	Digital
Digital signal format system *	DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2
Auto channel search	✔

Smart TV	
Smart TV *	✔
Internet TV *	✔
Operating system installed *	VIDAA U
Operating system version	4
Hybrid Broadcast Broadband TV (HbbTV)	✔
Hybrid Broadcast Broadband TV (HbbTV) version	2.0.2
Video apps	Amazon Prime Video, Chili, DAZN, Infinity, Netflix, RaiPlay, Rakuten TV, YouTube

Performance	
4K Ultra HD upscaling	✔
Parental control	✔
USB recording *	✘

Ports & interfaces	
Audio Return Channel (ARC)	✔
Ethernet LAN (RJ-45) ports *	1
USB 2.0 ports quantity *	2
Digital audio optical out	1
Common interface Plus (CI+) *	✔
Common interface Plus (CI+) version	1.4
HDMI ports quantity *	3
PC in (D-Sub) *	✘
AC (power) in	✔

Management features	
Electronic Programme Guide (EPG)	✔
On Screen Display (OSD)	✔
Number of OSD languages	35

Power	
Energy efficiency class (SDR) *	G
Energy efficiency class (HDR) *	G
Energy consumption (SDR) per 1000 hours *	112 kWh
Power consumption (typical) *	120 W
Energy consumption (HDR) per 1000 hours *	140 kWh
Power consumption (standby) *	0.5 W
AC input voltage	100 - 240 V

Audio

Number of speakers *	2
RMS rated power *	10 W
Audio decoders	DTS
Audio decoding technologies	DTS Virtual:X
Equalizer	✔

Network

Wi-Fi *	✔
Ethernet LAN *	✔
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Bluetooth *	✔
Web browser	✔

Design

VESA mounting *	✔
Panel mounting interface	300 x 200 mm
Housing material	Plastic
Product colour *	Black
Stand colour	Black

Performance

High Dynamic Range (HDR) supported *	✔
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)
Teletext function	✔
Video formats supported	3GP, AVI, FLV, H.264, H.265, MKV, MOV, MP4, MPEG, MPEG2, MPEG4, MPG, MVC, OGM, VC-1, VOB, VP9, WEBM, WMV
Audio formats supported	AAC, FLAC, MP2, MP3, MP4, WAV, WMA, WMV
Image formats supported	BMP, GIF, JPEG, MPO, PNG
Video compression formats	AVI, FLV, MKV, MP4

Power

AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	1448 mm
Depth (with stand)	252 mm
Height (with stand)	884 mm
Weight (with stand)	17.5 kg
Width (without stand)	1448 mm
Depth (without stand)	81 mm
Height (without stand)	834 mm
Weight (without stand)	16.7 kg
Stand width	60.6 cm
Stand depth	25.2 cm

Packaging data

Desktop stand	✔
Cables included	AC
Remote control included	✔
Remote control type	EN2G30H
Package width	1629 mm
Package depth	186 mm
Package height	996 mm
Package weight	24.1 kg
Package type	Box

6942147475133