## SAMSUNG

## Samsung LF24T450FZU 61 cm (24") 1920 x 1080 pixels Full HD LED Black

Brand : Samsung

Product code: LF24T450FZUXEN

Product name : LF24T450FZU

Samsung LF24T450FZU. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0. VESA mounting, Height adjustment. Product color: Black







Display		Ergonomics	
Display resolution * 1920	.ED PS	Panel mounting interface Height adjustment * Height adjustment Swiveling Swivel angle range Tilt angle range Tilt adjustment	100 x 100 mm ✓ 13 cm ✓ -45 - 45° -3 - 25° ✓
Display brightness (typical)	250 cd/m <sup>2</sup>	Power	
Response time Screen shape * Contrast ratio (typical) * Dynamic contrast ratio marketing name Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colors * NTSC coverage (typical) <b>Performance</b> AMD FreeSync * AMD FreeSync type	5 ms Flat 1000:1 Mega Contrast 75 Hz 178° 178° 16.7 million colors 72% ✓ FreeSync	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage Energy efficiency scale <b>Operational conditions</b> Operating temperature (T-T) Operating relative humidity (H-H) <b>Packaging content</b>	E 15 kWh 15 W 0.5 W 0.3 W 100 - 240 V A to G
Flicker-free technology	<	Cables included	AC, HDMI
Game mode	<	Weight & dimensions	
Multimedia Built-in speaker(s) * Design	√	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand)	539.2 mm 224 mm 370.9 mm 4 kg 53.9 cm 3.94 cm
Market positioning * Product color *	Business Black		
Ports & interfaces		Height (without stand)	32.3 cm
Built-in USB hub *	<	Weight (without stand)	2.6 kg
USB hub version	2.0	Packaging data	
		Package width	604 mm

Publication date: 09-FEB-2023. Prints or copies of Information are only valid on the printed Publication date

nterfaces		Packaging data	
Type-A downstream ports ntity II *	2	Package depth Package height Package weight	385 mm 147 mm 5.5 kg
rts quantity rsion	2 1.4	Sustainability Sustainability certificates	ENERGY STAR
orts quantity ort version	1 1.2	Logistics data	
one out * mics	4	Harmonized System (HS) code	85285210
nting *	1		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.