Samsung Series 9 QE55S90CAT 139.7 cm (55") 4K Ultra HD Smart TV Wi-Fi Black

Brand : Samsung

Product family: Series 9

Product code: QE55S90CATXZT

Product name : QE55S90CAT

Samsung Series 9 QE55S90CAT. Display diagonal: 139.7 cm (55"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: OLED, Screen shape: Flat. Smart TV. Native aspect ratio: 16:9. Digital signal format system: DVB-C, DVB-S2, DVB-T2. Wi-Fi, Ethernet LAN. Product colour: Black





🔿 anner dez 🔹 🗣 souver dez



Display		Performance	
Display diagonal *	139.7 cm (55")	AMD FreeSync type	FreeSync Premium
HD type * Display technology * Screen shape *	4K Ultra HD OLED Flat	Game features	Game Bar 3.0, Auto Low Latency Mode (ALLM), Dynamic Black EQ, Game Motion Plus, Super Ultra Wide Game View
Native aspect ratio *	16:9	Brand specific technologies	Motion Xcelerator Turbo Pro
Supported graphics resolutions	3840 x 2160	4K Ultra HD upscaling	4
Native refresh rate	144 Hz	SmartThings app support	4
Display resolution *	3840 x 2160 pixels	Tap view	1
Display diagonal (metric)	139.7 cm	Adaptive picture	4
Anti-glare screen	4	Wireless Dex support	4
TV tuner		Multi View	4
Tuner type * Digital signal format system * Number of tuners	Analog & digital DVB-C, DVB-S2, DVB-T2 2 tuner(s)	TV sound to mobile device Parental control USB recording *	4 4 4
Auto channel search	1	Ports & interfaces	
Smart TV		Audio Return Channel (ARC)	4
Smart TV *	1	Ethernet LAN (RJ-45) ports *	1
Internet TV *	4	USB 2.0 ports quantity *	2
Operating system installed *	Tizen	Digital audio optical out	1
Screen mirroring	4	RF ports quantity	2
Sound mirroring	4	Common interface Plus (CI+) *	4
Hybrid Broadcast Broadband TV (HbbTV)	<	Common interface Plus (Cl+) version	1.4
Hybrid Broadcast Broadband TV	2.0.3	HDMI ports quantity *	4
(HbbTV) version	2.0.5	PC in (D-Sub) *	×
TV initiate mirroring	4	Consumer Electronics Control (CEC)	Anynet+
Universal guide	4	AC (power) in	4

AudioManagement featuresRMS rated power*40 WVoice control✓RMS rated power*40 WVoice control✓Audio decodersDolby AtmosOn Screen Display (OSD)✓Q-Symphony✓Auto autput channels✓Audio decodersDolby AtmosOn Screen Display (OSD)✓Audio toutput channels✓Auto autput channels✓Active voice amplifier (AVA)✓Auto power off✓Adaptive sound+✓Works with Amazon Alexa✓Adaptive sound+✓Works with Amazon Bikby✓Enhanced Audio Return Channel (EARC)✓Power✓Wi-Fi*✓Energy efficiency class (SDR)GEthernet LAN*✓Energy consumption (SDR) per 1000 hours*GBiletooth*✓Freegy consumption (SDR) per 1000 hours*GBiletooth*✓Freegy consumption (SDR) per 1000 hours*GBiletooth*✓Freegy consumption (SDR) per 1000 hours*GPosign✓Samsung technologies (A/TV)Motion Xcelerator Turbo ProPolar mannel pitterface300 x 200 mmSamsung technologies (A/TV)Motion Xcelerator Turbo ProPolar Colour nameTata BlackBackEnergy efficiency class (DRN)1225.4 mmPolar Colour nameFile Stand ColourBlackDepth (with stand)1225.4 mmPolar Colour nameFile Stand ColourHigh Dynamic Range 10+ (HDR)PerformanceYas.5 mmHigh Dyna				
Audio output channels2.1 channelsElectronic Programme Guide (EPG)4Audio decodersDolby AtmosOn Screen Display (OSD)4Q-Symphony4Hiture-in-Picture4Active voice amplifier (AVA)Audo power off4Adative sound-YendeVorks with Amazon Alexa4Enhanced Audio Return ChannelYendeWorks with Amazon Alexa4Enhanced Audio Return ChannelYendePower7Wi-Fi *PowerGWi-Fi *AEnergy efficiency class (HDR) *GBiletooth *YendeSergy efficiency class (HDR) *GBiletooth *YendeFergy efficiency class (HDR) *GBiletooth *YendeSamsung Echnologies (AVT) *Neto-SereerPorduct clourBlackSamsung Echnologies (AVT) *Neto-SereerPorduct clourBlackYende Hith stand)25.5 mmProduct clourBlackYeight (with stand)125.4 mmStand typeYeight (Without stand)126.2 kg </td <td>Audio</td> <td></td> <td>Management features</td> <td></td>	Audio		Management features	
Aldo decodesDoby AtmosOn Screen Disp (QSD)I element (QSD)Q-SymphonyI element (QSD)I cluto-in-RictureI element (QSD)Adotivo sound (QSD)I element (QSD)I element (QSD)I element (QSD)Adotivo sound (QSD)I element (QSD)I element (QSD)I element (QSD)Adotivo sound (QSD)I element (QSD)I element (QSD)I element (QSD)Atternet (QSD)I element (QSD)I element (QSD)I element (QSD)Virifi standardsI element (QSD)I element (QSD)I element (QSD)Blactor the (QSD)I element (QSD)I element (QSD)I element (QSD)Color and (QSD)I element (QSD)I element (QSD)I element (QSD)Part and (QSD)I element (QSD)I element (QSD)I element (QSD)StandardsI element (QSD)I element (QSD)	•			1
Q-Symphony✓✓Neture-in-Picture✓Active voice amplifier (AVA)✓Auto power off✓Adaptive sound +✓Works with Amazon Alexa✓Bhanced Audio Return Channel✓Works with the Google Assistant✓Pathered Audio Return Channel✓Forew✓NetwertNetwerth BannelGMores with Amazon Alexa✓NetwerthForego efficiency class (HDR)GGWi-Fi (S 02.11a c)Energy efficiency class (HDR)GGBluetoot AresMi-Fi (S 02.11a c)Energy efficiency class (HDR)GGBluetoot AresS.2Energy consumption (SDR) per 100S kWhBluetoot Ares0.2Energy consumption (SDR) per 100GGBluetoot AresS.2Energy consumption (SDR) per 100S kWhOur nameS.2Energy consumption (SDR) per 100GGPorturationS.2Energy efficiency class (HDR)Alexication Turbo ProPortug Caro AresS and Caro AresEnergy efficiency class (HDR)S and Caro AresNotad topic AresS and Caro AresEnergy efficiency class (HDR)S and Caro AresPortug Caro AresS and Caro AresEnergy efficiency class (HDR)S and Caro AresPortug Caro AresS and Caro AresEnergy efficiency class (HDR)S and Caro AresPortug Caro AresEnergy efficiency class (HDR)S and Caro AresEnergy efficiency class (HDR)S and Caro AresPortug Caro AresFile Ares	•			4
Active voice amplifier (AVA)✓Auto power off✓Adaptive sound+✓Works with Amazon Alexa✓Enhanced Audio Return Channel✓Works with Amazon Alexa✓Enhanced Audio Return Channel✓Works with Samsung Bixby✓NetworkPowerWi-Fi st✓Energy efficiency class (SDR) *GBithernet LAN *✓Energy efficiency class (SDR) *GBitetooth *✓Energy efficiency class (SDR) *GBitetooth *✓Energy consumption (SDR) per 1000B2 kWhBitetooth version5.2Energy consumption (HDR) per 1000 hours*134 kWhColour nameTitan BlackFerrary consumption (HDR) per 1000 hours134 kWhColour name✓Samsung technologies (AV/TV)Motion Xcelerator Turbo ProProduct colour *BlackWeight & dimensions265.9 mmStand dopEnergy efficiency class265.9 mm1225.4 mmStand dopEnergy efficit (with stand)1225.4 mm1225.4 mmStand colour *BlackWeight (with stand)1225.4 mmSupported *High Dynamic Range 10+ (HDRI) Plus), Hybrid Log-Gamma (HLG)Perh (without stand)39.9 mmSupported *Migh Dynamic Range 10+ (HDRI) Plus), Hybrid Log-Gamma (HLG)Petk (without stand)36.6 cmGame mode✓Stand widh36.6 cm36.6 cmGame mode✓Stand widh36.6 cmGame mode✓Stand widh36.6 cm<	Audio decoders	Dolby Atmos		4
Adaptive sound + Enhanced Audio Return ChannelEnhanced Audio Return Channel-Works with Amazon Alexa-Works with Samsung BixbyNetworkPowerWi-Fi *-Energy efficiency class (SDR) *6Ethemet LAN *-Energy efficiency class (SDR) *0Biluetoot *Biluetoot *Biluetoot *Biluetoot *Biluetoot *Biluetoot *Biluetoot *Samsung technologies (AVTN)Motio Xcelerator Turbo Pro<		4		1
Enhanced Audio Return Channel (eARC) Image: Addition Return Channel (PARC) Image: Addition Return Channel (PARC) Image: Addition Return Channel (PARC) Network Power Wi-Fi * Image: Addition Channel (PARC) Energy efficiency class (SDR) * G Wi-Fi * Image: Addition Channel (PARC) Energy efficiency class (SDR) * G Wi-Fi * Image: Addition Channel (PARC) Energy efficiency class (HDR) * G Bluetooth * S.2 Energy efficiency sclass (HDR) * 124 kWh Buletooth version S.2 Energy efficiency sclass (AVTW) Motion Sclear Strainel (Motion Sclear Strainel) Colour name Ttan Black Image: Addition Strainel (Motion Sclear Strainel (Motion Strainel) Motion Sclear Strainel (Motion Sclear Strainel) YesA mounting interface 300 x 200 mm Smanng technologies (AVTW) Motion Sclear Strainel (Motion Strainel) YesA mounting interface Strainel YesA Motion Sclear Strainel (Motion Strainel) 1252.4 mm Stand volour Black Width with stand) 125.24 mm Stand volour Black Versite With Stand) 125.24 mm Stand volour High Dynamic Range 10+ (HDR) (Width with stand) 125.24 mm High Dynamic Range (HDR) uspopted "HDR) Versite With Stand) 12.25.4 mm High Dynamic Range (HDR) Uspop	Active voice amplifier (AVA)	1	Auto power off	1
(eARC)Works with Samsung BixbyINetworkPowerWi-Fi standardsIWi-Fi standardsWi-Fi S (802.11ac)Bluetooth *IBluetooth *IColur nameTVESA mounting interfaceIBluetooth *IBlackIBluetooth *IStand colourBlackBluetooth *IBluetooth *IStand colourIBluetooth *IBluetooth *	Adaptive sound+	1	Works with Amazon Alexa	1
NetworkPowerWi-FiEnergy efficiency class (SDR)*GEthernet LAN*Energy efficiency class (SDR)*GWi-Fi standardsWi-Fi 5 (802.11ac)Energy consumption (SDR) per 1000B2 kWhBluetooth *Energy consumption (SDR) per 1000B2 kWhBluetooth *Energy consumption (HDR) per 1000 hours *134 kWhBluetooth version5.2Energy consumption (HDR) per 1000 hours *134 kWhColour nameTitan BlackEnergy efficiency scaleA to GVESA mounting *Samsung technologies (AV/TV)Motion Xcelerator Turbo ProProduct colour *BlackBlackEnergy efficiency scale1225.4 mmStand typeCenter standWidth (with stand)1225.4 mm1225.4 mmStand colourBlackDepth (with stand)1225.4 mm1225.4 mmPerformaceHigh Dynamic Range 10+ (HDR)Width (with stand)1225.4 mmHigh Dynamic Range (HDR)¥Width (with stand)1225.4 mmSupported *Image 10+ (HDR)Beth (with stand)1225.4 mmSupported *YWidth (without stand)39.9 mmHigh Dynamic Range (HDR)YSamsung Real Def (HDR)Beth (without stand)39.9 mmSupported *YSamsung Real Open (Without stand)39.9 mmSamsung Real Def (Without stand)39.9 mmGame modeSatad width36.6 cmSatad depth36.6 cmBrightness detect		4	Works with the Google Assistant	1
ProverWi-Fi✓Energy efficiency class (SDR) •GEthermet LAN *✓Energy efficiency class (MDR) •GWi-Fi standardsWi-Fi 5 (802.11ac)Energy consumption (SDR) per 1000 hours *82 kWhBluetooth *✓Energy consumption (MDR) per 1000 hours *134 kWhBluetooth version5.2Energy efficiency class (MDR) •134 kWhOolour nameTitan BlackEnergy efficiency scaleA to GVESA mouting *✓Samsung technologies (AV/TV)Motion Xcelerator Turbo ProProduct colour *BlackWeight & dimensions25.4 mmStand typeCenter standWidth (with stand)1225.4 mmStand colourBlackDepth (with stand)265.9 mmPerformance✓Width (with stand)1225.4 mmHigh Dynamic Range (HDR) supported *✓Width (without stand)1225.4 mmSupported *✓Width (without stand)1225.4 mmHigh Dynamic Range (HDR) supported *✓Width (without stand)1225.4 mmGame mode✓Width (without stand)1225.4 mmGame mode✓Width (without stand)1225.4 mmGame mode✓Stand depth162. kgGame mode✓Stand width36.6 cmFlighttess detection✓Stand depth162. kgGame mode✓Stand depth26.6 cmBrightness detection✓Desktop stand4Colour detection✓Desktop stand<	(earc)	-	Works with Samsung Bixby	1
Ethernet LAN*Image and the large efficiency class (sDN)*GWi-Fi standardsWi-Fi 5 (802.11ac)Energy consumption (SDR) per 10082 kWhBluetooth *Image and the regy consumption (SDR) per 10082 kWhBluetooth *Image and the regy consumption (HDR) per 100134 kWhDesignImage and the regy consumption (HDR) per 100134 kWhColour nameTitan BlackEnergy consumption (HDR) per 100134 kWhPanel mounting interface300 x 200 mmSamsung technologies (AV/TV)Motion Xcelerator Turbo ProPanel mounting interfaceBlackWeight & dimensions1225.4 mmStand colour *BlackDepth (with stand)1225.4 mmStand colour *BlackDepth (with stand)1225.4 mmStand colour *BlackDepth (with stand)1225.4 mmHigh Dynamic Range (HDR) supported *Image and the regy (without stand)1225.4 mmHigh Dynamic Range (HDR) technologyHigh Dynamic Range 10+ (HDR10) Plus), Hybrid Log-Gamma (HLG)Depth (without stand)39.9 mmGame modeImage And the regy (without stand)16.2 kgRemote control metand)16.2 kgGame modeImage And the regy (without stand)16.2 kgRemote control metand)16.2 kgGame modeImage And the regy (without stand)16.2 kgRemote control metand)16.2 kgGame modeImage And tepthStand depth26.6 cmRemote control metand)16.2 kgGame modeImage And tepthStand depth26.6 cmRemote con	Network		Power	
Ethernet LAN*✓Energy efficiency class (HDR)*GWi-Fi standardsWi-Fi 5 (802.11ac)Energy consumption (SDR) per 1000 hours*2 kWhBluetooth *✓Anors*2 kWhBluetooth version5.2Energy consumption (HDR) per 100 hours*134 kWhDesign✓Energy efficiency scaleA to GColour name✓Titan BlackBrad-specific featuresVVESA mounting *✓Assung technologies (AV/TV)Motion Xcelerator Turbo ProPanel mounting interface300 x 200 mmSamsung technologies (AV/TV)Motion Xcelerator Turbo ProProduct colour *BlackWeight & dimensions25.4 mmStand dolurBlackDepth (with stand)1225.4 mmStand colour *BlackDepth (with stand)125.2 mmProfumance✓Height (with stand)1225.4 mmHigh Dynamic Range (HDR) technology✓Depth (with stand)1225.4 mmHigh Dynamic Range 10+ (HDR1) technologyHigh Dynamic Range 10+ (HDR1) Plus), Hybrid Log-Gamma (HLG8)Depth (without stand)1225.4 mmHigh Dynamic Range (HDR) technology✓Stand width39.9 mmImmediateGame mode✓✓Stand width122.5 mmHigh Dynamic Range 10+ (HDR1) technologyFerdig (without stand)122.5 mmImmediateHigh Dynamic Range 10+ (HDR1) technologyMediateStand width16.2 kgGame mode✓Stand width36.6 cmImmediateGame mode </td <td>Wi-Fi *</td> <td><</td> <td>Energy efficiency class (SDR) *</td> <td>G</td>	Wi-Fi *	<	Energy efficiency class (SDR) *	G
Wi-Fi standardsWi-Fi s (802.11ac)Energy consumption (SDR) per 1000 hours*82 kWhBluetooth *✓Fnergy consumption (HDR) per to oblo hours*314 kWhBluetooth version5.2Energy consumption (HDR) per tenrgy efficiency scale314 kWhDesign✓Energy efficiency scaleA to GColour nameTitan BlackBrand-specific featuresVersion (SDR) per 1000 hours*Panel mounting interface300 x 200 mmSamsung technologies (AV/TV)Motion Xcelerator Turbo ProPanel mounting interfaceBlackWeight & dimensions255.9 mmStand colour *BlackDepth (with stand)1225.4 mmStand colour *BlackDepth (with stand)18.2 kgPerformanceYHeight (with stand)18.2 kgHigh Dynamic Range (HDR) 	Ethernet LAN *	<	.,	G
Bluetooth * hours * our stand Bluetooth version 5.2 Energy consumption (HDR) per 1000 hours * 134 kWh Design A to G Colour name Titan Black Brand-specific features A to G VESA mounting * Samsung technologies (AV/TV) Motion Xcelerator Turbo Pro Panel mounting interface 300 x 200 mm Samsung technologies (AV/TV) Motion Xcelerator Turbo Pro Product colour * Black Weight & dimensions Version Stand type Center stand Width (with stand) 1225.4 mm Stand colour Black Depth (with stand) 18.2 kg Performance Height (with stand) 1225.4 mm Motion Xcelerator Turbo Pro High Dynamic Range (HDR) Import (With Stand) 1225.4 mm Motion Xcelerator Turbo Pro Supported * Import (With Stand) 1225.4 mm Motion Xcelerator Turbo Pro Supported * Import (With Stand) 1225.4 mm Motion Xcelerator Turbo Pro Supported * Import (With Stand) 1225.4 mm Motion Xcelerator Turbo Pro Supported * Import (With Stand) 1225.4 mm Motion Xcelerator Stand Ycele Supported * Importin (HDR) Import (Without Stand) 16.2 kg	Wi-Fi standards	Wi-Fi 5 (802.11ac)		02 1 14/1
Design 134 kWn Colour name Titan Black Energy efficiency scale A to G VESA mounting * A to G Panel mounting interface 300 x 200 mm Samsung technologies (AV/TV) Motion Xcelerator Turbo Pro Product colour * Black Weight & dimensions I225.4 mm Stand type Center stand Width (with stand) 1225.4 mm Stand colour Black Depth (with stand) 265.9 mm Performance Height (with stand) 1225.4 mm Samsung technologies (AV/TV) High Dynamic Range (HDR) Vidth (with stand) 18.2 kg supported * Might Dynamic Range 10+ (HDR1) Peth (with stand) 1225.4 mm High Dynamic Range (HDR) Vidth (with stand) 1225.4 mm supported * Vidth (with stand) 1225.4 mm High Dynamic Range (HDR) Vidth (with stand) 1225.4 mm supported * Vidth (with stand) 18.2 kg Supported * Vidth (with stand) 1225.4 mm Game mode Veight (with stand) 1225.4 mm Game mode Veight (without stand) 18.2 kg Teletext function Samsung Real Deft (HDR) Pick (without stand) 16.2 kg Teletext function Ambient Mode + Stan	Bluetooth *	<		82 kwn
Colour nameTitan BlackBrand-specific featuresA to GVESA mounting *✓ Brand-specific features Motion Xcelerator Turbo ProPanel mounting interface300 x 200 mmSamsung technologies (AV/TV)Motion Xcelerator Turbo ProProduct colour *Black Weight & dimensions Stand colour *BlackDepth (with stand)1225.4 mmStand colourBlackDepth (with stand)265.9 mmPerformanceHeight (with stand)18.2 kgHigh Dynamic Range (HDR) supported *✓Weight (with stand)18.2 kgHigh Dynamic Range (HDR) supported *✓Depth (without stand)39.9 mmHigh Dynamic Range (HDR) supported *✓Meight (without stand)39.9 mmGame mode✓MuthoutStand width36.6 mmGame mode✓Stand width36.6 cmFrightness detection✓Stand depth26.6 cmBrightness detection✓Desktop stand✓Al Upscale✓Desktop stand✓Al Upscale✓Stand petpt EnhancerAcNoise reduction *✓Meural Quantum Processor 4K, 		5.2		134 kWh
VESA mounting*Fand-specific featuresPanel mounting interface30x 200 mmSamsung technologies (AV/Tv)Motion Xcelerator Turbo ProProduct colour *BlackWeight & dimensions1225.4 mmStand typeCenter standWith (with stand)125.5 mmStand colourBlackDepth (with stand)265.9 mmPerformanceHigh Dynamic Range (HDR)Wight (with stand)123.5 mmHigh Dynamic Range (HDR)-Notin (without stand)122.5 4 mmHigh Dynamic Range (HDR)-Depth (without stand)122.5 4 mmHigh Dynamic Range (HDR)-Depth (without stand)122.5 4 mmHigh Dynamic Range 10+ (HDR)Depth (without stand)122.5 4 mmHigh Dynamic Range 10+ (HDR)Depth (without stand)129.9 mmHigh Dynamic Range 10+ (HDR)Notin (without stand)16.2 kgHigh Dynamic Range 10+ (HDR)Notin (without stand)16.2 kgFeter functionISamsung Real Depth EndSand width36.6 cmAmbient Mode +Sand width36.6 cmSand Width36.6 cmAndreate functionIPerformancePerformanceImmediateAl UpscaleINotin Mode+Depti functionImmediateAl UpscaleINotin Mode-Sand WidthImmediateAl UpscaleINotin Mode-Sand ReincludedImmediateAl UpscaleINotin Mode-Sand ReincludedImmediateNotin PerformanceISand ReincludedIm	•		Energy efficiency scale	A to G
VESA mounting *Panel mounting interface300 x 200 mmSamsung technologies (AV/TV)Motion Xcelerator Turbo ProProduct colour *BlackWeight & dimensionsStand typeCenter standDepth (with stand)1225.4 mmStand colourBlackDepth (with stand)265.9 mmPerformanceHeight (with stand)18.2 kgHigh Dynamic Range (HDR) supported *Midh (with stand)18.2 kgHigh Dynamic Range (HDR) supported *Nome1225.4 mmHigh Dynamic Range (HDR) supported *Peth (with stand)1225.4 mmHigh Dynamic Range (HDR) supported *Peth (without stand)1225.4 mmHigh Dynamic Range 10+ (HDR10) plus), Hybrid Log-Gamma (HLG)Depth (without stand)39.9 mmGame modeStand width36.6 cmGame modeAmbient Mode+Stand depth36.6 cmFrightness detectionStand depth36.6 cmAnulpscaleDesktop standAl UpscaleDesktop standAl UpscaleSamsung Real Depth EnhancerCables includedACNoise reduction *Remote control includedNoise reduction *Remote control typeMotecontrol includedNoise reduction *Remote control typeNoise reduction *Remote control typeNoise reduction *Remo			Brand-specific features	
Product colour *BlackWeight & dimensionsStand typeCenter standWidth (with stand)1225.4 mmStand colourBlackDepth (with stand)265.9 mmPerformanceHeight (with stand)773.5 mmHigh Dynamic Range (HDR) supported *Image: Ammetic Am		•	•	Motion Veolorator Turbo Dro
Stand typeCenter standWidth (with stand)1225.4 mmStand colourBlackDepth (with stand)265.9 mmPerformanceHeight (with stand)773.5 mmHigh Dynamic Range (HDR) supported *Image (HDR) Plus), Hybrid Log-Gamma (HLG)Weight (with stand)18.2 kgHigh Dynamic Range (HDR) supported *High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)Depth (without stand)39.9 mmGame modeImage (MDR) Plus), Hybrid Log-Gamma (HLG)Depth (without stand)39.9 mmGame modeImage (MDR) Plus), Hybrid Log-Gamma (HLG)Stand width36.6 cmGame modeImage (MDR) Plus), Hybrid Log-Gamma (HLG)Stand width36.6 cmGame modeImage (MDR) Plus), Hybrid Log-Gamma (HLG)Stand depth36.6 cmGame modeImage (MDR) Plus), Hybrid Log-Gamma (HLG)Stand width36.6 cmGame modeImage (MDR) Plus), Hybrid Log-Gamma (HLG)Stand depth36.6 cmGaloc (MDR) Plus), Hybrid Log-Gamma (HLG)Stand depth36.6 cmGaloc (MDR) Plus), Hybrid Log-Gamma (HLG)Stand depth36.6 cmAmbient modeImage (MDR) Plus), Hybrid Log-Gamma (HLG)Desktop standImage (HDR)Al UpscaleImage (MDR) Plus (MDR)Image (MDR) Plus (MDR)Image (MDR)Image (MDR)Al UpscaleImage (MDR) Plus (MDR)Image (MDR) Plus (MDR)Image (MDR)Image (MDR)Al UpscaleImage (MDR) Plus (MDR)Image (MDR) Plus (MDR)Image (MDR)Image (MDR)	5			
Stand colourBlackDepth (with stand)1223.4 mmPerformanceDepth (with stand)265.9 mmHigh Dynamic Range (HDR) supported *Implement of the stand)773.5 mmHigh Dynamic Range (HDR) supported *Implement of the stand)18.2 kgHigh Dynamic Range (HDR) technologyHigh Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)Depth (with stand)1225.4 mmGame modeImplement of the stand)Depth (without stand)39.9 mmGame modeImplement of the stand)16.2 kgTeletext functionImplement of the stand36.6 cmAmbient modeAmbient Mode +Stand width36.6 cmBrightness detectionImplement of the stand26.6 cmAl UpscaleImplement of the standImplement of the standImplement of the standAl UpscaleImplement of the stand of the standImplement of the standImplement of the standPicture processing technologyNeural Quantum Processor 4K, Samsung Real Depth EnhancerRemote control includedImplement of the standNoise reduction *Implement of the stand of			Weight & dimensions	
PerformanceDepth (with stand)263.9 minHigh Dynamic Range (HDR) supported *-Height (with stand)773.5 mmHigh Dynamic Range (HDR) supported *-Weight (with stand)18.2 kgHigh Dynamic Range (HDR) technologyHigh Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)Depth (without stand)39.9 mmGame modeDepth (without stand)708.6 mmGame modeWeight (without stand)16.2 kgTeletext functionStand width36.6 cmAmbient modeStand depth26.6 cmBrightness detectionDesktop standAl UpscaleDesktop standPicture processing technologyNeural Quantum Processor 4K, Samsung Real Depth EnhancerRemote control includedNoise reduction *Remote control typeTM2360E			Width (with stand)	1225.4 mm
High Dynamic Range (HDR) supported *✓Weight (with stand)18.2 kgHigh Dynamic Range (HDR) technologyHigh Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)Depth (without stand)39.9 mmGame mode✓Weight (without stand)708.6 mmGame mode✓Weight (without stand)16.2 kgTeletext function✓Stand width36.6 cmAmbient modeAmbient Mode+Stand depth26.6 cmBrightness detection✓Desktop stand✓Al Upscale✓Desktop stand✓Picture processing technologyNeural Quantum Processor 4K, Samsung Real Depth EnhancerRemote control included✓Noise reduction *✓Remote control typeTM2360E	Stand colour	Black	Depth (with stand)	265.9 mm
Inign Dynamic Range (HDR)YWidth (without stand)1225.4 mmHigh Dynamic Range (HDR)High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)Depth (without stand)39.9 mmGame modeImage (HDR)High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)Depth (without stand)708.6 mmGame modeImage (HDR)Image (HDR)Height (without stand)16.2 kgTeletext functionImage (HDR)Image (HDR)36.6 cmAmbient modeAmbient Mode+Stand depth26.6 cmBrightness detectionImage (HDR)Desktop standImage (HDR)Colour detectionImage (HDR)Desktop standImage (HDR)Al UpscaleImage (HDR)Neural Quantum Processor 4K, Samsung Real Depth EnhancerCables includedACNoise reduction *Image (HDR)Remote control typeImage (HDR)Image (HDR)Noise reduction *Image (HDR)Image (HDR)Image (HDR)	Performance		Height (with stand)	773.5 mm
supported *Number of the standNumber of the stand <td>High Dynamic Range (HDR)</td> <td></td> <td>Weight (with stand)</td> <td>18.2 kg</td>	High Dynamic Range (HDR)		Weight (with stand)	18.2 kg
technologyPlus), Hybrid Log-Gamma (HLG)Height (without stand)708.6 mmGame mode✓Weight (without stand)16.2 kgTeletext function✓Stand width36.6 cmAmbient modeAmbient Mode+Stand depth26.6 cmBrightness detection✓Packaging data✓Colour detection✓Desktop stand✓Al Upscale✓Cables includedACPicture processing technologyNeural Quantum Processor 4K, Samsung Real Depth EnhancerRemote control included✓Noise reduction *✓Remote control typeTM2360E	supported *	v	Width (without stand)	1225.4 mm
Game mode✓ Color minGame mode✓Teletext function✓Minister function✓Ambient modeAmbient Mode+Brightness detection✓Colour detection✓Al Upscale✓Picture processing technologyNeural Quantum Processor 4K, Samsung Real Depth EnhancerNoise reduction *✓Noise reduction *✓Noise reduction *✓Minister function *✓Noise reduction *✓Minister function *Minister functionMinister function *✓Minister function *Minister functionMinister function *✓Minister function *✓<	5 , 5		Depth (without stand)	39.9 mm
Teletext function✓Stand width16.2 kgTeletext function✓Stand width36.6 cmAmbient modeAmbient Mode+Stand depth26.6 cmBrightness detection✓Packaging data✓Colour detection✓Desktop stand✓Al Upscale✓Desktop stand✓Picture processing technologyNeural Quantum Processor 4K, Samsung Real Depth EnhancerRemote control included✓Noise reduction *✓Remote control typeTM2360E	57		Height (without stand)	708.6 mm
Ambient modeAmbient Mode+Stand withinStore thinBrightness detectionImage: Image: Image		4	Weight (without stand)	16.2 kg
Brightness detection Image: Colour detection <		✓	Stand width	36.6 cm
Colour detectionPackaging dataColour detectionDesktop standImage: Colour detectionAl UpscaleImage: Colour detectionDesktop standImage: Colour detectionPicture processing technologyNeural Quantum Processor 4K, Samsung Real Depth EnhancerCables includedACNoise reduction *Image: Colour detectionRemote control includedImage: Colour detectionNoise reduction *Image: Colour detectionRemote control typeImage: Colour detection			Stand depth	26.6 cm
Colour detection V Desktop stand V Al Upscale V Desktop stand V Picture processing technology Neural Quantum Processor 4K, Samsung Real Depth Enhancer Cables included AC Noise reduction * V Remote control included V		4	Packaging data	
Picture processing technology Neural Quantum Processor 4K, Samsung Real Depth Enhancer Cables included AC Noise reduction * ✓ Remote control included ✓		*	Desktop stand	1
Picture processing technology Neural Qualitum Processol 4X, Samsung Real Depth Enhancer Remote control included Image: Control included Noise reduction * Image: Control included Image: Control included Image: Control included	АГ ОРБСАТЕ		•	
	Picture processing technology			
AMD FreeSync 🗸	Noise reduction *	4	Remote control type	TM2360E
	AMD FreeSync	✓		



8806094948783

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.