SAMSUNG

Samsung Galaxy S24+ 17 cm (6.7") Dual SIM 5G USB Type-C 12 GB 512 GB 4900 mAh Grey

Brand : Samsung **Product family:** Galaxy **Product code:** SM-S926BZAGEUE

Product name: S24+

6.7" FHD+ Dynamic AMOLED 2X, 12GB RAM, 512GB ROM, 50MP+10MP+12MP/12MP, 5G, 4900 mAh, Marble Grav

Samsung Galaxy S24+ . Display diagonal: 17 cm (6.7"), Display resolution: 3120 x 1440 pixels. RAM capacity: 12 GB, Internal storage capacity: 512 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Dual SIM. Battery capacity: 4900 mAh. Product colour: Grey. Weight: 196 g



Display diagonal * 17 cm (6.7") Near Field Communication (NFC) Screen shape Flat Ports & interfaces Display technology marketing name Dynamic AMOLED 2X Display resolution * 3120 x 1440 pixels USB connector type USB Type-C USB version 3.2 Gen 1 (3.1 Gen 1) Maximum refresh rate 120 Hz USB version 3.2 Gen 1 (3.1 Gen 1) Processor Processor Cores 10 Form factor * Grey Grey Marble Gray Marble Gray International Protection (IP) code International International International International International International International Internat	sistant
Display technology marketing name Dynamic AMOLED 2X Display resolution * 3120 x 1440 pixels USB connector type USB Type-C Just Barnamere Dynamic AMOLED 2X USB connector type USB Type-C Just Barnamere Dynamic AMOLED 2X USB connector type USB Type-C Just Barnamere Dynamic AMOLED 2X USB version 3.2 Gen 1 (3.1 Gen 1) USB connector type USB Type-C Just Barnamere Dynamic AMOLED 2X USB version 3.2 Gen 1 (3.1 Gen 1) USB connector type USB Type-C Just Barnamere Dynamic AMOLED 2X USB version 3.2 Gen 1 (3.1 Gen 1) USB version Dynamic AMOLED 2X USB version Dynamic AMOLED 2X USB Type-C Just Barnamere Dynamic AMOLED 2X USB version Dynamic Dynam	sistant
Display resolution * 3120 x 1440 pixels Display number of colours Maximum refresh rate 120 Hz Design	sistant
Processor cores 10 Form factor * Product colour * Grey Storage RAM capacity * 12 GB Internal storage capacity * 512 GB Product colour * Camera Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera aperture number Recond rear camera aperture number Third rear camera aperture number Optical zoom Digital zoom Single camera Form factor * Product colour * Grey Calour name Marble Gray	sistant
Processor cores 10 Form factor * Product colour * Grey Grey Marble Gray RAM capacity * 12 GB Internal storage capacity * 512 GB Protection features Performance Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera aperture number Camera aperture number Third rear camera aperture number Optical zoom Digital zoom Single camera Front camera resolution (numeric) * Single camera Single camera Performance	sistant
Storage RAM capacity * 12 GB International Protection (IP) code Internal storage capacity * 512 GB Protection features Dust resistant, Water research american resolution (numeric) * 50 MP Fingerprint reader Second rear camera resolution (numeric) * 12 MP Front camera aperture number Second rear camera aperture number Digital zoom Single camera (QZSS) Position location * Vertection (numeric) * Vertection features Storage Audit of formats supported Storage Audit (Numeric) Rear camera aperture number Single camera Protection (numeric) * Vertection features Storage Dust resistant, Water respond to the formation of	sistant
RAM capacity* 12 GB International Protection (IP) code Internal storage capacity* 512 GB Protection features Dust resistant, Water resolution (numeric) 50 MP Fingerprint reader Hearing aid compatibility / Capacitant (numeric) 10 MP Hearing aid compatibility / Capacitant (numeric) Navigation Third rear camera resolution (numeric) 12 MP GPS (satellite) / Rear camera aperture number 1.8 GLONASS / Capacitant Satellite System (QZSS) Chical Statellite System (QZSS) Digital zoom 3x (QZSS) Chical Statellite System (QZSS) Position location * / Capacitant Satellite System Single camera (QZSS) Speakers Front camera aperture number 2.2 Multimedia Speakers Front camera aperture number 2.2 Rear camera flash * / Video capture resolution (max) 7680 x 4320 pixels Maximum frame rate 240 fps	sistant
Rear camera resolution (numeric) * 50 MP Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number Second rear camera aperture number 1.8 GLONASS Second rear camera aperture number 2.4 BeiDou Galileo Third rear camera aperture number Optical zoom 3x Optical zoom 30x Front camera type * Front camera resolution (numeric) * Front camera aperture number 2.2 Rear camera flash * Video capture resolution (max) 7680 x 4320 pixels Maximum frame rate Front camera resolution (numeric) * 200 MP Fingerprint reader Hearing aid compatibility V Audio formatis supported Fingerprint reader V Mavigation GPS (satellite) V Quousi-Zenith Satellite System (QZSS) V Quasi-Zenith Satellite System (QZSS) V Audio formatis supported Multimedia Speakers Stereo 3GA, AAC, AMR, APE, AV DSF, FLAC, IMY, M4A, M MP3, MXMF, OGA, OGG, RTX, WAV, XMF AUDIO FINA MAN AND	
Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number 1.8 GLONASS Second rear camera aperture number 1.8 Second rear camera aperture number Third rear camera aperture number 2.4 Galileo Third rear camera aperture number Optical zoom Optical zoom Single camera Front camera type * Front camera resolution (numeric) * Front camera aperture number 2.2 Rear camera flash * Video capture resolution (max) 7680 x 4320 pixels Maximum frame rate Hearing aid compatibility Navigation Relation GPS (satellite) V QLONASS V QLONASS V Quasi-Zenith Satellite System (QZSS) V Quasi-Zenith Satellite System (QZSS) V Multimedia Speakers Stereo 3GA, AAC, AMR, APE, AV DSF, FLAC, IMY, M4A, M MP3, MXMF, OGA, OGG, RTX, WAV, XMF 2CC 2CC ACC AND AMF, INV. MAY AND AME TAY MAY AN	
Intird rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number 1.8 Second rear camera aperture number Digital zoom Front camera type * Front camera aperture number Rear camera aperture number Front camera aperture number Rear camera aperture number Single camera Multimedia Front camera aperture number 2.2 Rear camera flash * Video capture resolution (max) Maximum frame rate Navigation GPS (satellite) V Audio formats supported Multimedia Speakers Stereo 3GA, AAC, AMR, APE, AV DSF, FLAC, IMY, M4A, M MP3, MXMF, OGA, OGG, RTX, WAV, XMF RTX, WAV, XMF AUGIO FORMATION MAN Speakers Audio formats supported Navigation Audio formats supported	
(numeric) Rear camera aperture number Second rear camera aperture number 1.8 Second rear camera aperture number 2.4 Second rear camera aperture number Third rear camera aperture number Optical zoom 3x (QZSS) Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Video capture resolution (max) Total camera Total camera aperture number Audio formats supported PSP (satellite) V V V Audio formats supported Audio formats supported Note that the supported of the	
Third rear camera aperture number Optical zoom Digital zoom Single camera Front camera type * Front camera aperture number Calileo Quasi-Zenith Satellite System (QZSS) Position location * Multimedia Speakers Stereo 3GA, AAC, AMR, APE, AV DSF, FLAC, IMY, M4A, M DSF, FLAC, IMY, M4A, M MP3, MXMF, OGA, OGG, RTX, WAV, XMF AUdio formats supported MP3, MXMF, OGA, OGG, RTX, WAV, XMF ACC, 3CD, AVI, FLV, MAY AUGIO STATE AND STATE	
Optical zoom 3x (QZSS) Digital zoom 30x Position location * Front camera type * Single camera Front camera resolution (numeric) * 12 MP Front camera aperture number 2.2 Rear camera flash * ✓ Video capture resolution (max) 7680 x 4320 pixels Maximum frame rate (QZSS) Position location * Multimedia Speakers Stereo 3GA, AAC, AMR, APE, AV DSF, FLAC, IMY, M4A, M MP3, MXMF, OGA, OGG, RTX, WAV, XMF	
Digital zoom 30x Position location * Front camera type * Single camera Multimedia Front camera resolution (numeric) * 12 MP Front camera aperture number 2.2 Rear camera flash * ✓ Video capture resolution (max) 7680 x 4320 pixels Maximum frame rate 240 fps Position location * Multimedia Speakers Stereo 3GA, AAC, AMR, APE, AV DSF, FLAC, IMY, M4A, M MP3, MXMF, OGA, OGG, RTX, WAV, XMF	
Front camera type * Single camera Front camera resolution (numeric) * 12 MP Front camera aperture number Front camera aperture number Rear camera flash *	
Front camera resolution (numeric) * 12 MP Front camera aperture number 2.2 Rear camera flash * Video capture resolution (max) 7680 x 4320 pixels Maximum frame rate 240 fps Audio formats supported Phase Stereo 3GA, AAC, AMR, APE, AV DSF, FLAC, IMY, M4A, M MP3, MXMF, OGA, OGG, RTX, WAV, XMF	
Front camera aperture number Rear camera flash * Video capture resolution (max) Maximum frame rate 2.2 3GA, AAC, AMR, APE, AV DSF, FLAC, IMY, M4A, M MP3, MXMF, OGA, OGG, RTX, WAV, XMF	
2C2 2CD AVI FLV MAV	id, MIDI,
Rear camera type * Triple camera Video formats supported 3G2, 3GP, AVI, FLV, M4\ WEBM	/, MKV, MP4,
Auto focus Image stabilizer Software	
Image stabilizer Image stabilizer type Optical Image Stabilization (OIS) Platform * Android	
Network Battery	
SIM card capability * Dual SIM Mobile network generation * 5G Removable battery SIM card type * NanoSIM 3G standards * WCDMA 4G standard * LTE-TDD & LTE-FDD 5G standard * Sub6 FDD, Sub6 SDL, Sub6 TDD Browsing time (4G) 26 h	
Wi-Fi * Wi-Fi standards Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) Continuous audio playback time 92 h Continuous video playback time 31 h Bluetooth * Continuous video playback time 31 h Sluetooth version 5.3 36 bands supported 850,900,1900,2100 MHz	

Network Sensors 700,800,850,900,1500,1800,1900,2100,2300,2500,2600 MHz 4G bands supported 700,800,850,900,1500,1800,1900,2100,2300,2500,2600,3500,3700 Proximity sensor MHz Accelerometer Wi-Fi Direct MIMO Ambient light sensor Modulation 1024-QAM Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width 75.9 mm Depth 7.7 mm Height 158.5 mm Weight * 196 g Packaging content Cables included USB Type-C SIM card ejector pin



8806095307633

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.