Samsung G55C computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black

Brand : Samsung **Product family:** Odyssey **Product code:** LS27CG552EUXEN

Product name: G55C

Samsung G55C. Display diagonal: $68.6 \text{ cm } (27^{\circ})$, Display resolution: $2560 \times 1440 \text{ pixels}$, HD type: Quad HD, Display technology: LED, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . VESA mounting. Product colour: Black





| Display | | Ergonomics | |
|---------------------------------------|---|--|-------------|
| Display diagonal * | 68.6 cm (27") | Cable management | ✓ |
| Display resolution * | 2560 x 1440 pixels | Cable lock slot * | ✓ |
| HD type * | Quad HD | Height adjustment * | × |
| Native aspect ratio * | 16:9 | Tilt adjustment | / |
| Display technology * | LED | Tilt angle range | -2 - 18° |
| Panel type * | VA | Picture-in-Picture | × |
| Touchscreen * | × | | |
| Display brightness (typical) | 300 cd/m ² | Power | |
| Response time (MPRT) | 1 ms | Energy efficiency class (SDR) * | F |
| Screen shape * | Curved | Energy efficiency class (HDR) * | G |
| Screen curvature rating | 1000R | Energy consumption (SDR) per 1000 | 26 kWh |
| Contrast ratio (typical) * | 2500:1 | hours * | |
| Dynamic contrast ratio marketing name | Mega DCR | Energy consumption (HDR) per 1000 hours * | 41 kWh |
| Maximum refresh rate * | 165 Hz | Power consumption (typical) * | 26 W |
| Refresh rate optimizor | ✓ | Power consumption (standby) * | 0.5 W |
| Viewing angle, horizontal | 178° | Power consumption (max) | 40 W |
| Viewing angle, vertical | 178° | Power consumption (off) | 0.3 W |
| Display number of colours * | 16.7 million colours | AC input voltage | 100 - 240 V |
| Display diagonal (metric) | 68 cm | AC adapter output voltage | 19 V |
| High Dynamic Range (HDR) | 1 | Power supply type | External |
| supported | • | Energy efficiency scale | A to G |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) | European Product Registry for Energy Labelling (EPREL) code | 1777999 |
| Performance | | Annual energy consumption | 38 kWh |
| AMD FreeSync * | ✓ | Operational conditions | |
| AMD FreeSync type | FreeSync | Operating temperature (T-T) | 10 - 40 °C |
| Flicker-free technology | ✓ | Operating relative humidity (H-H) | 10 - 80% |
| Game features | Super Arena Gaming UX | Weight & dimensions | |
| Smart modes | Custom, Eco, Game, Graphics, Movie, Sports, Standard | Width (with stand) | 616.6 mm |
| Sinare modes | | Depth (with stand) | 272.6 mm |
| Multimedia | | Height (with stand) | 477.4 mm |
| Built-in speaker(s) * | × | Weight (with stand) | 4.1 kg |
| Built-in microphone | × | Width (without stand) | 614.6 mm |
| Built-in camera * | × | Depth (without stand) | 120 mm |
| Dulit-III Callicia | ^ | | |

| Design | | Weight & dimensions | |
|--|------------------------|--|--|
| Market positioning * Product colour * | Consumer Black | Height (without stand) Weight (without stand) | 382.8 mm 3.7 kg |
| Front bezel colour | Black | Packaging data | |
| Feet colour | Black | Package width | 679 mm |
| Ports & interfaces | | Package depth | 438 mm |
| Built-in USB hub * | × | Package height | 188 mm |
| HDMI * | ✓ | Package weight | 6 kg |
| HDMI ports quantity | 1 | Packaging content | |
| HDMI version | 2.0 | Stand included | ✓ |
| DisplayPorts quantity | 1 | Cables included | AC, DisplayPort, HDMI |
| DisplayPort version | 1.2 | Power cable length | 1.5 m |
| Headphone out * | / | Other features | |
| Headphone outputs Built-in KVM switch | 1 | Brand specific technologies | Black Equalizer |
| | X | Low input lag | · |
| HDCP HDCP version | ✓ 2.2 | TV Plus | × |
| DC-in jack | 2.2 | SmartThings app support | × |
| Service port | , | Works with Samsung Bixby | × |
| Service port type | USB Type-A | Wireless Dex support | × |
| Network | OSB Type-A | Samsung Eye Saver Mode | ✓ |
| Wi-Fi | × | Video colour modes | Custom, Dynamic, Eco, Entertain, Game, Graphic, Original, Sports, Standard |
| Bluetooth | X | Auto source switch | ✓ |
| Ethernet LAN | × | Off Timer Plus | · |
| Ergonomics | | Virtual AIM point | , |
| VESA mounting * Panel mounting interface | √ 75 x 75 mm | Certification | Windows 11 |



8806095337210

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.