## Samsung Galaxy S25 Ultra 17.5 cm (6.9") Dual SIM Android 15 5G USB Type-C 12 GB 512 GB 5000 mAh Blue, Silver, Titanium

**Brand :** Samsung **Product family:** Galaxy **Product code:** SM-S938BZBGEUE

Product name: Galaxy S25

Ultra

Galaxy S25 Ultra Smartphone AI, Display 6.9" QHD+ Dynamic AMOLED 2X, Fotocamera 200MP, RAM 12GB, 512GB, 5.000 mAh, Titanium Silverblue

Samsung Galaxy S25 Ultra . Display diagonal: 17.5 cm (6.9"), Display resolution: 3120 x 1440 pixels. Processor family: Qualcomm Snapdragon, Processor model: 8 Elite. RAM capacity: 12 GB, Internal storage capacity: 512 GB. Rear camera resolution (numeric): 200 MP, Rear camera type: Quad camera. SIM card capability: Dual SIM. Operating system installed: Android 15. Battery capacity: 5000 mAh. Product colour: Blue, Silver, Titanium. Weight: 218 g



Display		Camera		
Display diagonal * Screen shape Display technology marketing name Panel type Display resolution * Display number of colours Maximum refresh rate Display brightness Pixel density Brand specific technologies Rounded display corners	17.5 cm (6.9") Flat Dynamic AMOLED 2X AMOLED 3120 x 1440 pixels 16 million colours 120 Hz 1500 cd/m² 500 ppi Always-on display	Image stabilizer type Night mode Panorama Portrait mode Slow motion mode Slow motion rate Camera image formats st Network SIM card capability * Mobile network generation * SIM card type *	Dual SIM 5G NanoSIM + eSI	
Processor		3G standards * 4G standard *	UMTS, WCDMA	
Processor family * Processor model * Processor cores Processor boost frequency Artificial Intelligence processor family  Storage  RAM capacity * Internal storage capacity * Compatible memory cards *  Camera	Qualcomm Snapdragon 8 Elite 8 4.47 GHz Qualcomm  12 GB 512 GB Not supported	Wi-Fi Top Wi-Fi standard * W Wi-Fi standards 88 Wi-Fi standards 88 Bluetooth *  Bluetooth version 5. 3G bands supported 46 4G bands supported 77 5G bands supported 77 4G data rate (max) 22 5G data rate (max) 4. Wi-Fi Direct  MIMO	Sub6 FDD, Sub  Wi-Fi 7 (802.11 802.11a, 802.1 Vi-Fi 6 (802.11  5.4 850,900,1900, 700,800,850,9 700,800,850,9 MHz 2000 Mbit/s 4.66 Gbit/s	16 SDL, Sub6 TDD 1be) 11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), 1ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
Rear camera sensor size	1/1.3"	Ports & interfaces		
Second rear camera sensor size Third rear camera sensor size Rear camera resolution (numeric) * Second rear camera resolution (numeric)	1/2.52" 1/2.52" 200 MP	USB port * USB connector type USB version Headphone connectivity		USB Type-C 3.2 Gen 1 (3.1 Gen 1) USB Type-C
Third rear camera resolution (numeric)	50 MP	Design		
Fourth rear camera resolution (numeric) Rear camera aperture number	10 MP 1.7	Form factor * Product colour * International Protection (	IP) code	Bar Blue, Silver, Titanium IP68
Second rear camera aperture	3.4	Performance		
number Third rear camera aperture number Fourth rear camera aperture number Rear camera pixel size		Fast charging Wireless charging Fingerprint reader		* * *

Second rear camera pixel size       0.7 μm       Face recognition       ✓         Third rear camera pixel size       0.7 μm       Navigation         Fourth rear camera pixel size       1.12 μm       GPS (satellite)       ✓         Rear camera field of view (FOV) angle       22°       BeiDou       ✓         Second rear camera field of view (FOV) angle       120°       Galileo       ✓         Third rear camera field of view (FOV) angle       120°       Quasi-Zenith Satellite System (QZSS)       ✓         Optical zoom       10x       Position location *       ✓
Fourth rear camera pixel size 1.12 µm  Rear camera field of view (FOV) angle 22°  Second rear camera field of view (FOV) angle 500 Galileo 700 Galileo
Fourth rear camera pixel size 1.12 µm  Rear camera field of view (FOV) angle 52°  Second rear camera field of view (FOV) angle 70°  Third rear camera field of view (FOV) angle 70°  Optical zoom 100x 70°  Digital zoom 100x 70°  GPS (satellite) 70°  GLONASS 70°  SeiDou 70°  Galileo 70°  Quasi-Zenith Satellite System (QZSS) 70°  Position location * 70°  Position location * 70°  Third rear camera field of view (QZSS) 70°  Position location * 70°  Third rear camera field of view (QZSS) 70°  Position location * 70°  Third rear camera field of view (QZSS) 70°  Position location * 70°  Third rear camera field of view (QZSS) 70°  Third rea
angle 85°  GLONASS  Second rear camera field of view (FOV) angle 22°  Third rear camera field of view (FOV) angle Galileo  (FOV) angle Quasi-Zenith Satellite System (QZSS)  Digital zoom 100x  GLONASS
Second rear camera field of view (FOV) angle  Third rear camera field of view (FOV) angle  Optical zoom  Digital zoom  100x  BeiDou  Galileo  Quasi-Zenith Satellite System (QZSS)  Position location *
(FOV) angle  Third rear camera field of view (FOV) angle  Optical zoom  Digital zoom  Coverage Selbou  Galileo  Quasi-Zenith Satellite System (QZSS)  Position location *
(FOV) angle 120° Quasi-Zenith Satellite System Optical zoom 10x (QZSS)  Digital zoom 100x Position location *
Digital zoom 100x Position location * ✓
Digital 20011
Front camera type * Single camera Multimedia
Front camera sensor size 1/3.2" 3GA, AAC, AMR, APE, AWB, DFF,
Front camera resolution (numeric) * 12 MP  Audio formats supported DSF, FLAC, IMY, M4A, Mid, MIDI,
Front camera aperture number 2.2 MP3, MXMF, OGA, OGG, OTA, RTTL,
Front carriera pixel Size 1.12 µm 3G2 3GP AVI FLV MAV MKV MPA
Front camera field of view (FOV) 80° Video formats supported WEBM
Rear camera flash * Software
Flash type LED Platform * Android
Video capture resolution (max) 4320 x 7680 pixels Operating system installed * Android 15
Maximum frame rate 240 fps Operating system fork One UI 7.0
1280x720@30fps, 1920x1080@30fps, Battery
Resolution at capture speed 1920x1080@60fps, Battery capacity * 5000 mAh
3840x2160@30fps, 3840x2160@60fps
Video recording modes 720p, 1080p, 2160p, 4320p Proximity sensor ✓
Rear camera type * Quad camera Accelerometer ✓
Auto focus   Ambient light sensor
Image stabilizer   Gyroscope
Barometer 🗸
Geomagnetic sensor ✓
Hall sensor ✓
Power
USB Type-C charging port ✓
Weight & dimensions
Width 77.6 mm
Depth 8.2 mm
Height 162.8 mm
Weight * 218 g



8806095862095

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.