Samsung Galaxy S25 Ultra 17.5 cm (6.9") Dual SIM Android 15 5G USB Type-C 12 GB 256 GB 5000 mAh Grey, Titanium

Brand : Samsung **Product family:** Galaxy **Product code:** SM-S938BZTDEUE

Product name: Galaxy S25

Ultra

Galaxy S25 Ultra Smartphone AI, Display 6.9" QHD+ Dynamic AMOLED 2X, Fotocamera 200MP, RAM 12GB, 256GB, 5.000 mAh, Titanium Gray

Samsung Galaxy S25 Ultra . Display diagonal: 17.5 cm (6.9"), Display resolution: 3120 x 1440 pixels. Processor family: Qualcomm Snapdragon, Processor model: 8 Elite. RAM capacity: 12 GB, Internal storage capacity: 256 GB. Rear camera resolution (numeric): 200 MP, Rear camera type: Quad camera. SIM card capability: Dual SIM. Operating system installed: Android 15. Battery capacity: 5000 mAh. Product colour: Grey, Titanium. Weight: 218 g



Display		Camera			
Display diagonal *	17.5 cm (6.9")	Image stabilizer type		Optical Image Stabilization (OIS)	
Screen shape	Flat	Night mode		✓	
Display technology marketing name	Dynamic AMOLED 2X	Panorama		✓	
Panel type	AMOLED	Portrait mode		✓	
Display resolution *	3120 x 1440 pixels	Slow motion mode		/	
Display number of colours	16 million colours	Slow motion rate		240fps in FHD, 120fps in UHD	
Maximum refresh rate	120 Hz	Camera image formats s	upported	DNG, HEIF, JPEG	
Display brightness Pixel density	1500 cd/m ² 500 ppi	Network			
Brand specific technologies	Always-on display	SIM card capability *	Dual SIM		
Rounded display corners	✓	Mobile network generation * SIM card type *	5G NanoSIM + eSI	М	
	•	3G standards *	UMTS, WCDMA		
Processor		4G standard * 5G standard *	LTE-TDD & LTE Sub6 FDD, Sub	:-FDD 6 SDL, Sub6 TDD	
Processor family *	Qualcomm Snapdragon	Wi-Fi	✓		
Processor model *	8 Elite	Top Wi-Fi standard *	Wi-Fi 7 (802.11 802.11a, 802.1	lbe) l1b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac),	
Processor cores	8	Wi-Fi standards Bluetooth *	Wi-Fi 6 (802.11 ✓	Lax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)	
Processor boost frequency	4.47 GHz	Bluetooth version	5.4		
Artificial Intelligence processor family	Qualcomm	3G bands supported	850,900,1900,		
Storage		4G bands supported 5G bands supported	700,800,850,9	00,1700,1800,1900,2100,2300,2500,2600 MHz 00,1500,1800,1900,2100,2300,2500,2600,3500,3700	
-	12 CD	4G data rate (max)	MHz 2000 Mbit/s		
RAM capacity *	12 GB 256 GB	5G data rate (max)	4.66 Gbit/s		
Internal storage capacity * Compatible memory cards *	Not supported	Wi-Fi Direct MIMO	1		
	Not supported	Modulation	4096-QAM		
Camera		Near Field Communication (NFC)	1		
Rear camera sensor size	1/1.3"	Ports & interfaces			
Second rear camera sensor size	1/2.52"	USB port *		✓	
Third rear camera sensor size	1/2.52"	USB connector type		USB Type-C	
Rear camera resolution (numeric) *	200 MP	USB version		3.2 Gen 1 (3.1 Gen 1)	
Second rear camera resolution (numeric)	50 MP	Headphone connectivity		USB Type-C	
Third rear camera resolution (numeric)	50 MP	Design			
Fourth rear camera resolution (numeric)	10 MP	Form factor * Product colour *		Bar Grey, Titanium	
Rear camera aperture number	1.7	International Protection (IP) code	IP68	
Second rear camera aperture number	3.4	Performance			
Third rear camera aperture number	1.9	Fast charging		✓	
Fourth rear camera aperture	2.4	Wireless charging ✓		✓	
number		Fingerprint reader	rprint reader		
Rear camera pixel size	0.6 μm				

Second rear camera pixel size 0.7 μm Face recognition ✓ Third rear camera pixel size 0.7 μm Navigation Fourth rear camera pixel size 1.12 μm GPS (satellite) ✓ Rear camera field of view (FOV) angle 22° BeiDou ✓ Second rear camera field of view (FOV) angle 120° Galileo ✓ Third rear camera field of view (FOV) angle 120° Quasi-Zenith Satellite System (QZSS) ✓ Optical zoom 10x Position location * ✓
Fourth rear camera pixel size 1.12 µm Rear camera field of view (FOV) angle 22° Second rear camera field of view (FOV) angle 500 Galileo 700 Galileo
Fourth rear camera pixel size 1.12 µm Rear camera field of view (FOV) angle 52° Second rear camera field of view (FOV) angle 70° Third rear camera field of view (FOV) angle 70° Optical zoom 100x 70° Digital zoom 100x 70° GPS (satellite) 70° GLONASS 70° SeiDou 70° Galileo 70° Quasi-Zenith Satellite System (QZSS) 70° Position location * 70° Position location * 70° Third rear camera field of view (QZSS) 70° Position location * 70° Third rear camera field of view (QZSS) 70° Position location * 70° Third rear camera field of view (QZSS) 70° Position location * 70° Third rear camera field of view (QZSS) 70° Third rea
angle 85° GLONASS Second rear camera field of view (FOV) angle 22° Third rear camera field of view (FOV) angle Galileo (FOV) angle Quasi-Zenith Satellite System (QZSS) Digital zoom 100x GLONASS
Second rear camera field of view (FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom 100x BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location *
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Coverage Selbou Galileo Quasi-Zenith Satellite System (QZSS) Position location *
(FOV) angle 120° Quasi-Zenith Satellite System Optical zoom 10x (QZSS) Digital zoom 100x Position location *
Digital zoom 100x Position location * ✓
Digital 20011
Front camera type * Single camera Multimedia
Front camera sensor size 1/3.2" 3GA, AAC, AMR, APE, AWB, DFF,
Front camera resolution (numeric) * 12 MP Audio formats supported DSF, FLAC, IMY, M4A, Mid, MIDI,
Front camera aperture number 2.2 MP3, MXMF, OGA, OGG, OTA, RTTL,
Front carriera pixel Size 1.12 µm 3G2 3GP AVI FLV MAV MKV MPA
Front camera field of view (FOV) 80° Video formats supported WEBM
Rear camera flash * Software
Flash type LED Platform * Android
Video capture resolution (max) 4320 x 7680 pixels Operating system installed * Android 15
Maximum frame rate 240 fps Operating system fork One UI 7.0
1280x720@30fps, 1920x1080@30fps, Battery
Resolution at capture speed 1920x1080@60fps, Battery capacity * 5000 mAh
3840x2160@30fps, 3840x2160@60fps
Video recording modes 720p, 1080p, 2160p, 4320p Proximity sensor ✓
Rear camera type * Quad camera Accelerometer ✓
Auto focus Ambient light sensor
Image stabilizer Gyroscope
Barometer 🗸
Geomagnetic sensor ✓
Hall sensor ✓
Power
USB Type-C charging port ✓
Weight & dimensions
Width 77.6 mm
Depth 8.2 mm
Height 162.8 mm
Weight * 218 g



8806095860107

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.