

Samsung QB98T-B Digital signage flat panel 2.49 m (98") LCD Wi-Fi 350 cd/m² 4K Ultra HD Black Built-in processor Tizen 4.0

Brand : Samsung

Product family: QBT-B

Product code:
LH98QBTBPGCXEN

Product name : QB98T-B

- Incredible 4K picture quality
- Crystal Processor 4K
- Dynamic Crystal Display
98", IPS, 4K UHD (3840 x 2160), 350 nit, 1200:1, 178/178, 8 ms, Wi-Fi, RJ-45, HDCP, HDMI, DVI, DP, RS232, AC 100-240V, 50/60Hz, 2195.8 x 1250.8 x 96.5 mm, 83 kg
Samsung QB98T-B. Product design: Digital signage flat panel. Display diagonal: 2.49 m (98"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 350 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating system installed: Tizen 4.0. Product colour: Black



Display		Design	
Panel type	IPS	Bezel width (top)	1.79 cm
Display diagonal *	2.49 m (98")	Bezel colour	Charcoal Black
Display technology *	LCD	Performance	
Display resolution *	3840 x 2160 pixels	Purpose *	Universal
Display brightness *	350 cd/m²	HDCP	✓
HD type *	4K Ultra HD	HDCP version	2.2
Touchscreen *	✗	Power	
Response time	8 ms	Power consumption (typical) *	462 W
Contrast ratio (typical)	1200:1	Power consumption (sleep)	0.5 W
Dynamic contrast ratio marketing name	Mega Contrast	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 / 60 Hz
Viewing angle, vertical	178°	Computer system	
Pixel pitch	0.5622 x 0.5622 mm	Computer system *	✓
Native refresh rate	60 Hz	Computer system type	System on Chip (SoC)
Haze rate	25%	Built-in processor *	✓
Pixel frequency (max)	594 MHz	Operating system installed	Tizen 4.0
Colour gamut	72%	Weight & dimensions	
Ports & interfaces		Display width	2195 mm
HDMI ports quantity *	2	Display depth	96 mm
HDMI version	2.0	Display height	1250 mm
HDMI input ports quantity	2	Display weight	83 kg
DVI port *	✓	Packaging data	
DisplayPorts quantity *	1	Package width	2369 mm
DisplayPorts in	1	Package depth	350 mm
DisplayPort version	1.2	Package height	1405 mm
USB port *	✓	Package weight	106 kg
USB ports quantity	2	Operational conditions	
Ethernet LAN *	✓	Operating temperature (T-T)	0 - 40 °C
Ethernet LAN (RJ-45) ports	1	Operating relative humidity (H-H)	10 - 80%
Wi-Fi *	✓	Certificates	
RS-232 interface	✓	Certification	Class A 60950-1, 62368-1
Infrared data port	✓		
Remote (IR) input	1		

Design		Logistics data	
Product design *	Digital signage flat panel	Harmonized System (HS) code	85285210
Placement supported *	Indoor	Technical details	
Product colour *	Black	Audio out (mini jack)	1
Screen shape	Flat	Other features	
VESA mounting *	✓	Audio input	✓
Panel mounting interface	800 x 400 mm	Flash memory	8000 MB
Bezel width (bottom)	1.79 cm	RS-232 input ports	1
Bezel width (side)	1.79 cm	RS-232 output ports	1
		Video out	✓
		RJ-45 input ports	1
		Optional features	WMN8200SG



8806094096088



8592978462291

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAR-2025. Prints or copies of Information are only valid on the printed Publication date